2022

Panel Report Investigation Guide

Practice: Your primary care panel report **MART OF BANKACHAN CONFIDENTIAL **MART OF BANKACHAN CONFIDENTIA

Contents

The Panel Report Program	3
Your Panel Report – What's next?	4
How do I use this book?	4
1. What is a Panel Report?	7
2. Who created it and why?	7
3. Where did the information come from?	7
4. What time period does it cover?	7
5. What does it tell me?	8
1.1 How many patients are on my panel and how does this compare to the patients I've seen?	9
1.2 What is the age and sex profile of my panel patients?	11
2.1 How are my visits distributed by patient age and sex? How does this compare to the demographics of my panel overall?	13
2.2 What is my panel's continuity of care?	15
2.3 What are the most common conditions driving my patients' physician visits?	17
3.0 Chronic Conditions	19
3.1 How well is diabetes being managed among the patients on my panel?	20
3.2 How well is coronary artery disease (CAD) being managed among the patients on my pane	əl?22
4.1 How often did my panel patients visit an emergency department (ED)?	24
4.2 How often did my patients visit an emergency department (ED) for minor conditions?	26
4.3 How frequently were patients on my panel admitted to hospitals?	28
4.4 Why were my patients admitted to hospitals last year and how long were they there?	30
4.5 How does continuity of care relate to hospitalizations for conditions that are best cared for primary care?	
5.1 Prescribing for Senior Citizens (65+): High Risk Medications (Beers Criteria)	34
5.2 Prescribing for Senior Citizens (65+): Antipsychotic Medications	36
5.3 Prescribing of Opioid Medications	38
5.4 What percentage of my patients filled prescriptions for benzodiazepines?	40
Your Summary	42
Appendix	43
1. EMR Resources	43
General EMR Panel Management Training, Tools and Resources	43
MedAccess	43
Accuro	43
2. Resources for High Risk Prescribing (Beers Criteria)	
3. Resources for Prescribing Antipsychotics	44

4.	Resources for Prescribing Opioids	. 44
5.	Resources for Prescribing Benzodiazepines	. 44

The Panel Report Program

The panel report program was developed by the Saskatchewan Health Quality Council, endorsed, and supported by the SMA and the College of Physicians, operationalized in collaboration with eHealth Saskatchewan. But ultimately, the reports were designed by physicians, for physicians. A physician expert panel, comprised of Saskatchewan family physicians, recommends, and selects indicators and visualizations, write the content for each page, and provide the recommendations and external materials to support the report content and recipients.

The panel report program includes the panel report as well as numerous education modules designed to help you make the most of your report.


• When you received your report, you also received a link to a feedback survey. Upon completing the survey, you will receive 1 certified Mainpro+ credit.

Do you want help reading your report and results?

- Access our Interpretation resources
 - For those that prefer to work independently, you can download the interpretation guide. By reviewing the guide alongside your report and completing the associated reflection report, you can receive 10 additional credits.
 - Alternatively, if you prefer learning in a group setting, you can opt to participate in an Interpretation session and submit a Reflection Report to receive 15 credits – registration is available on the BestPractices website.

Do you want to delve deeper into your report?

- Access our Investigation resources
 - This guide was designed for those that prefer to work independently. By reviewing it alongside your report and completing the associated reflection report, you can receive 10 additional credits.
 - Alternatively, if you prefer learning in a group setting, you can opt to participate in an interpretation session and submit a report to receive 15 credits – registration is available on the BestPractices website.



Your Panel Report – What's next?

This document is intended for physicians who have received their panel report and understand the data presented. This workbook will help you think through your results and determine what they mean for you and your practice, and potentially, what actions you can take based on your results.

If you are unclear on how to interpret your report, please see the Panel Report Interpretation Guide.

The panel-specific results in your report are based on your patients, and you are the only recipient of your report. The reports are not used by anyone else to evaluate your practice. Rather, the intent is that they can provide you with summary information of your practice that may help you determine if there are any additional steps you can take to meet the needs of your patients. We aim to provide evidence which you can use to inform decisions. Your decision may be that you are meeting your patients' needs and no changes are warranted - and that is ok! Maintaining your practice 'as-is' is a valid evidence informed decision.

How do I use this book?

This book is yours, and yours alone so feel free to write in it, to go through it at your own pace and in any order you like. This is a resource for you to use how ever it best fits your needs, time, and energy. Regardless of whether you do it in order, all at once, or bit by bit, our advice is to enter it thoughtfully and intentionally. Above all, be curious! Wonder...


What can I learn?

Can I find something surprising?

What's best for my patients?

Each two-page spread corresponds to a page in your panel report and contains:

- a) Questions to help you delve deeper into each indicator
- b) Suggestions for questions you can explore in your EMR
- c) A rating scale to help you prioritize future practice improvement initiatives.



In addition to the general questions, you will find three focused sections: Investigate, Consider Context, and Brainstorm.

Consider Context	This section asks you to examine the results within the context of your own
[25]	practice. The panel report may highlight an aspect of your practice that is
1957 1957	different from your network average, but there is a deliberate reason for this
	based on how you practice. It may also highlight an aspect that you would like
	to dedicate some resources to improve.
Brainstorm	This section has prompts to lead you to think deeper about the results from the
SAC	panel reports which may lead to improvement initiatives within your own
	practice or clinic, highlight opportunities for collaboration with other providers,
,50	and some areas which may need some advocacy to health system leaders.
Investigate	This section asks you to delve into your EMR and investigate further beyond the
/7	limitations of the panel report. This requires an EMR and some knowledge of
(4)	how to run reports or queries. Some resources to help you get started can be
	found in the appendix.

Consider...

- o Does the panel population reflect those in your EMR?
- o Are there any indicators where you see unexpected results?
- o If any of your results differ substantially from your Health Network results are the differences reasonable? They may very well be! But ask yourself the questions, consider your context.
- Are certain health concerns or conditions prevalent among your patients? Is there any additional programming, education or supports that your clinic can offer or that you can refer your patients to that can help them better manage their conditions?
- Are your prescription rates notably different or concerning for any of the classes of drugs assessed? Are differences warranted, taking into consideration your context and patients? Are any trends developing?

We recommend viewing this document alongside your report.

•This guide wil guide your through investigating your reults page by page.

Consider your practice and your context as you review your results.

o Every practice is different. Your patients may differ from those of your peers, consider differences and how they may affect your results and comparison to your network averages.

If you have additional questions:

- o See BestPracticeSask.ca/Resources for frequently asked questions, as well as the report's technical appendix and additional information.
- o Contact info@bestpracticesask.ca for additional support

Next Steps

- o Complete and submit your reflection report
- o If you prefer an opportunity to discuss some of this material with peers, consider registsering for an Investigation session (see BestPracticeSask.ca/education for more details and upcoming dates).

1. What is a Panel Report?

- > It is a personalized report providing aggregate information about your panel of patients.
- Your panel report does not include information about individual patients, rather it provides an overview of what types of patients you see, how they are managed for chronic diseases (diabetes and coronary artery disease), how much they are using hospital services and some details about their drug prescriptions.
- ➤ Every physician's report is comprised of the same standardized indicators but reflects the results for their own panel. Some indicators also provide the physician's Health Network results to enable comparison.
- Each page of the report covers one topic. Each includes the results from your panel for each indicator as well as some additional information regarding the indicators.
- At the end of the report, there are some additional resources related to each topic to enable further investigation and learning.

2. Who created it and why?

- The Saskatchewan Medical Association (SMA) asked the Saskatchewan Health Quality Council (HQC) to help them develop reports for physicians in the province.
- > Similar reports exist for physicians in British Columbia, Ontario, and Alberta and the SMA wanted to ensure similar information is available to those practicing in Saskatchewan.
- > A partnership developed between physicians, HQC and eHealth Saskatchewan:
 - o The SMA initiated the work and is promoting it amongst its members;
 - A panel of physicians, formed by the College of Family Physicians, generates, and selects the questions and indicators to be included;
 - HQC determines the data sources, calculations, and visualization for each indicator and designs the reports; and
 - o eHealth Saskatchewan produces and confidentially distributes the individual reports.

3. Where did the information come from?

- All the data used to calculate each indicator came from existing administrative health data bases, such as
 - the Medical Services Branch physician billing data (for physician visits),
 - o the <u>Population Health Registry System</u> (for patient demographics),
 - o the <u>Chronic Disease Management Quality Improvement Program</u> (CDM-QIP), for data regarding diabetic and coronary artery disease patient care
 - o the National Acute Care Registration System (emergency department visits)
 - o the <u>Discharge Abstract Database</u> (for hospitalizations), and
 - o The <u>Prescription Drug Program</u> (for drug dispensations)
- > The panel-specific results in your report are based on your patients and you are the only recipient of your report

4. What time period does it cover?

The report reflects patient activity and health service use for three years. Our goal is to produce the reports annually, each based on the most recent years.

The 2022 report is based on data from January 1, 2019, to December 31, 2021.

5. What does it tell me?

There are 6 categories of topics:

Panel Characteristics	•demographics of your patient population
Primary Care	•family physician care among your patients
Chronic Disease Management	 diabetic and coronary artery disease patient results
Emergency Department Use	•volume and acuity of visits
Acute Care Admissions	•volume and causes of admissions
Prescription drugs	 use of select types of prescription medications among your patients

1.1 How many patients are on my panel and how does this compare to the patients I've seen? Does the number of patients on your panel seem right? Is it higher or lower than you expected? Is there a difference between the number of discrete patients you saw (Your Patients) and the number of patients on your panel (Your Panel)? Do you understand the reasons for this difference? Investigate: The 4-Cut Method estimates your patient panel based on billing records but may not be the same as your EMR panel. Check your EMR to determine your EMR If you are able to compare your report and your EMR panel, did you find any differences in the size of your panel? How might the differences affect the other indicators in your panel report?

Consider Context:	Factors such as the amount of time you spend in walk-in clinics or other practice settings, the age of your patients, and your availability to see your patients may all affect these results.
	ber of patients seeing (a) only you or (b) mostly you what you expected? do you think are some reasons for the difference?
	orised by how many patients are on your panel because they had their last physical you? If so, what do you think are some reasons for the difference?
Brainstorm:	Are you surprised by how many unattached patients are in your Health Network? What do you think are some reasons these patients haven't seen a family physician in the past 3 years? How do you think these patients can be reached and receive primary care?
On a scale of	of 1 (least) to 10 (most), how interested are you about these results?
	2 3 4 5 6 7 8 9 10

1.2 What is the age and sex profile of my panel patients? Do the proportions of your patients that are male versus female reflect your perceptions of your panel? If not, how does it differ? Why may it differ? Acknowledge that some of this may be due to patient choice (e.g., females may select female physicians). Do these results reflect the results you found in your EMR? If there are differences, why do you think they exist? What impact do you think patient age and sex may have on the other indicators? Consider Factors such as the types of service you and your clinic provide, your location, the Context: amount of time you spend in walk-in clinics or other practice settings, and your expertise may affect the demographic composition of your patient panel. You may be intentionally (or unintentionally) catering to certain demographic cohorts; if so, view the results with that context in mind. Considering your panel by age and sex, are there patient populations that dominate your panel? Are these results the ones you would expect? Given your most common age and sex cohorts, are there certain services or programs you and/or your clinic currently and/or could provide to meet the needs of these patients?

	cteristics of your clinic that cater to certain groups? If you wanted to reach other chooses, and what additional resources/programs do you need to support them?
0	
•	to your Health Network age and sex demographics, are you concerned that some
pallerii grot	ups may be under- or over-represented in your panel? How could you address this?
Brainstorm:	For the patients that you serve, are there resources that would help you manage
	your patients better? Are there any programs that you would like access to?
	What would you like to be able to offer that you can't currently offer?
	Thinking outside of how you currently work, what other providers can cover some
	aspects of practice? (i.e., nurse educators, group appointments)
Investigate	What conditions are most common among your largest age and sex cohort(s)? Are
	there certain conditions, chronic or otherwise, that they are susceptible to? Are there any social determinants of health you should bear in mind with these
	patients? If so, what supports could you point them to (e.g., food bank)?
On a scale (of 1 (least) to 10 (most), how interested are you about these results?
	2 3 4 5 6 7 8 9 10

to the demographics of my panel overall? Consider The services provided in your clinic, your geographical setting, your accessibility, Context: and the availability of other providers and resources in your area, among other factors may affect patient visit rates. Are there certain age cohorts that account for a higher proportion of your patient visits than others? Are these results aligned with what you experience and expected? Compared to your panel patient age distribution, are there any cohorts that may be overrepresented in your visit volumes? Do you know of possible causes of this? Investigate: Delve into your EMR to investigate some of the high use cohorts to determine if there are some trends (e.g. visit frequency) or similarities among the patients' health conditions and visit reasons. If there were similarities among patients or trends, are there other resources or supports available to help these patients? Or any that you wish were available? Compared to your patient age distribution, are there any cohorts that may be underrepresented in your visit volumes? Do you know any possible causes of this?

2.1 How are my visits distributed by patient age and sex? How does this compare

Investigate:	Delve into your EMR to investigate some of the <u>low</u> use cohorts to determine if there are any concerns/conditions that are common among this age cohort that you aren't seeing among your patients with the frequency you would expect.
are there oth available? N	any conditions or concerns that appeared to be under-represented in your records, her resources or supports available to help these patients? Or any that you wish were ote that there is no "ideal" panel but consider if your panel distribution matches with e style and focus areas.
	Are there other services or programs that could help meet the needs of your highest demand cohorts?
	Is there a certain demographic that you are not comfortable caring for therefore fewer of your patients are from that demographic? Are there education or supports that could help increase your confidence in caring for these groups?
What is your	biggest priority regarding these over- and/or under-represented cohorts?
On a scale o	f 1 (least) to 10 (most), how concerned are you about these results?
STI d Jedie 0	
T C	2 3 4 5 6 7 8 9 10

2.2 What is my panel's continuity of care? Consider Factors such as the amount of time you spend in walk-in clinics or other practice settings, the Context: age of your patients, the number of years you have been practicing, your availability to see your patients, and the number of providers in your clinic, may all affect these results. Do you find anything surprising in the proportion of your patients that are highly connected to you, have low connection to you, or are in-between? If so, what do you find most surprising? Which results differ from what you expected? How do your personal results compare to your patients' connectedness to you? To your clinic? How do those results compare to the Health Network average? Is there something unexpected in your patients' connectedness to either your clinic or Health Network? What could be some reasons for similarities or differences between your results, the results of your clinic, and how those compare to the Health Network average? How much do you think your patients' connectivity to you affects their health outcomes?

Are you surprised by how many visits patients have with providers outside your clinic? What do you think are some reasons they see your colleagues?

Are you surprised by how many visits patients have with providers outside your clinic? What do you think are some reasons they go elsewhere?	
	ce any trends developing across the three years of data shown? If so, are these trends continue or alter?
Brainstorm:	Given that 100% connectivity is not possible, what strategies could be employed to ensure (a) for external referrals, a seamless transition to providers outside your clinic, and (b) for internal referrals or shared practices, with the goal to improve continuity within your own practice/clinic?
On a scale o	of 1 (least) to 10 (most), how interested are you about these results?
1	2 3 4 5 6 7 8 9 10

2.3 What o	are the most common conditions driving my patients' physician visits
Consider	The age and sex of your patients, the services you and your clinic provide, and your
Context:	areas of focus, and other factors, may impact the medical conditions you see.
	10 most common medical conditions for a family physician visit surprising? If not, which
do you exp	ect to be highest and why do you think your results differ from your expectations?
Are the top	10 most common medical conditions for a non-family physician visit surprising? If not,
•	ou expect to be highest and why do you think your results differ from your
expectation	
Danad on th	and a language and itions are an a value patients, are there are different interventions into
	ne underlying conditions among your patients, are there conditions or interventions into want to obtain additional knowledge or education?
WHICH YOU V	Varii 10 Obtaiit additional kilowieage of eadeations
Based on yo	our patients' common conditions, are there community resources, services, or patient
education of	opportunities that you should explore to help meet these patients' needs?

Investigate:	Delve into your EMR to determine if there are patterns or commonalities among the patients with the most common conditions. Check to see if there are some
	conditions that frequently occur comorbidly across numerous patients.
connecting v patients are referral letter providers cur	ner providers contributing to the care of these patients with whom you should be with to ensure your patients' care is comprehensive and patient-centered (i.e., active participants in their own care)? Do you have good communication (i.e., is, availability via phone, time to third next available appointment) with these rently? How could you improve communication with other providers? How could ers improve communication with you?
Brainstorm:	What can you do to help your patients access other providers (services that can
Brainsform:	What can you do to help your patients access other providers/services that can benefit them? What can you do to improve or maintain your connections and communications with your patients' other providers (e.g., improving referral letters, following-up on letters received)? How can you advocate for health system-level improvements?
	What do you think are some key steps you can take to provide the best possible care to these patients? What are patients' goals and expectations in working with multiple providers? How can you help to meet these goals and expectations?
On a scale o	of 1 (least) to 10 (most), how interested are you about these results?
	2 3 4 5 6 7 8 9 10

3.0 Chronic Conditions Do you have a mechanism by which you can identify Chronic Disease Management (CDM) patients that are overdue for a visit? Do you have a mechanism by which CDM patients are recalled on a regular basis? Are you aware of the new virtual CDM billing code to provide virtual care for CDM patients (864B)? Note that there are limitations/restrictions on the use of this code; ensure you are aware of them.

Are you surprised by the proportion of your patients with diabetes? Was it higher or lower than you expected?
Does the proportion of your panel with diabetes differ substantially from your network average? If
so, do you know why it differs? Do you routinely assess for diabetes risk factors to help with preventative measures?
preventative measures?
Investigate: Investigate your use of CDM-QIP flow sheets among your diabetic patients and
consider why you do or do not use flow sheets for some or all of your patients
Do you have a list of patients with diabetes for whom you know you're using CDM-QIP flow sheets?
What can you do to increase the number of patients with diabetes who have CDM-QIP flow
sheets? If you don't have a list, do you know how to make one?
How do you think regular use of flow sheets affects care you provide to patients with diabetes?
riow do you inink regular use of now streets directs care you provide to patierns with diabetes?

What factors affect your use of flow sheets with patients with diabetes?		
milatiaciois anect your use of now sheets with patients with alabetes?		
·	sfied with the proportion of your patients with diabetes with flow sheets that had blood her than 130/80mmHg? In each A1C range? How do the distributions align with your	
	is and desired results?	
Brainstorm:	What are some key stops you can take to provide the best possible care to these	
BIGIIISIOIIII.	What are some key steps you can take to provide the best possible care to these patients? Are there resources that you can access to help you and these patients	
	manage their health?	
Consider:	Blood pressure and A1C are only available for patients with flow sheets. Additionally,	
	this guide uses your 4-cut panel, and may not be the same as your EMR panel. What	
	do you think the results of these indicators would be among patients without flow	
	sheets? If possible, a next step might be to delve further into your EMR to investigate these indicators for non-flow sheet patients.	
	'	
On a scale o	of 1 (least) to 10 (most), how interested are you about these results?	
311 4 30410 (S. F. (16 day) 15 To (11165) (16 minorested die 766 dae 61 minorested)	
	2 3 4 5 6 7 8 9 10	

3.2 How well is coronary artery disease (CAD) being managed among the patients on my panel?

Are you surprised by the proportion of your patients with CAD? How does it compare with your
expectations?
Does the proportion of your panel with CAD differ substantially from your network average? If so, do
you know of any reasons for the difference? Do you routinely assess for CAD risk factors to help with
preventative measures?
Investigate: Investigate your use of CDM-QIP flow sheets among your CAD patients and consider
why you do or do not use flow sheets for some or all of your patients
Are you surprised by the proportion of your patients with CAD without CDM-QIP flow sheets? Was it
higher or lower than you expected?
Do you have a list of patients with CAD for whom you know you are using CDM-QIP flow sheets?
What can you do to increase the number of patients with CAD who have CDM-QIP flow sheets? If
you don't have a list, do you know how to make one?
How do you think regular use of flow sheets affects care you provide to patients with CAD?
What factors affect your use of flow sheets with patients with CAD?

Are you sati	isfied with the proportion of your patients with CAD with flow sheets that had blood
	her than 140/90 mmHg? LDL >2 mmol/L? How do the distributions align with your
expectation	ns and desired results?
<u> </u>	
•	isfied with the proportion of your patients with CAD with flow sheets that are on statins?
	ome reasons some patients are not on statins? Is there anything you can do to help ese patients' outcome?
Improve me	se palleriis oorcorne?
Brainstorm:	What are some key steps you can take to optimize the care of these patients? Are there
	resources that you can access to help you and these patients manage their health?
Consider:	Blood pressure and LDL are only available for patients with flow sheets. Additionally, this
	guide uses your 4-cut panel, and may not be the same as your EMR panel. What do
	you think the results of these indicators would be among patients without flow sheets? If
	possible, a next step might be to delve further into your EMR to investigate these
	indicators for non-flow sheet patients.
On a scale	of 1 (least) to 10 (most), how interested are you about these results?
2.1303	
	2 3 4 5 6 7 8 9 10

Are you surpr lower than yo	en did my panel patients visit an emergency department (ED)? ised by the proportion of your patients who had ED visits last year? Was it higher or bu expected? Were you informed about these visits? Did you receive a note from the r or by other means?
·	,
How do you t	feel about your panel's ED visit rate compared to your Health Network average? What
would your to	arget or ideal ED visit rate be? What could you and other clinics in your network do to rnatives to ED visits?
Consider	The services you and your clinic provide, your availability, and accessibility, among
Context:	other factors may impact your patients' ED use. If your clinic offers patient care in evenings and on weekends, do they align with times patients are accessing the ED? Are these hours meeting your patients' needs?
	some frequent ED visitors? If so, did you know about their frequent visits? can you do to improve your awareness of your patients ED use?
Do you know	what factors may be causing repeat visits? Are there more appropriate resources or
•	pports you can help them access that may reduce their need for the ED?

•	thing surprising when you compare the results of your panel, and your Health Network Are you concerned or re-assured by similarities or differences?
•	e any concerns regarding the acuity level of your patients' ED visits? If your results differ twork average, what might be driving variations? Are there any cohorts of particular
Brainstorm:	If there are avoidable ED visits, what could you do to assist with keeping them out of
	the ED? Are there other services you can provide or connect them to, or education
	you can provide them with regarding appropriate ED use?
	Are you happy with the timeliness and thoroughness of the information you receive from EDs regarding your patients' visits? Is there anything you can do to improve these
	communications? Do you have any suggestions for the EDs to improve
	communications? How could you advocate for these changes?
0.00	-f.1 (
On a scale of	of 1 (least) to 10 (most), how interested are you about these results?
	2 3 4 5 6 7 8 9 10

4.2 How often did my patients visit an emergency department (ED) for minor conditions?

Are you surprised by the number of ED visits among your panel's patients for CTAS 4 and 5 overall? Is it higher than you would like or hoped?
Do you notice any trends developing across the three years of data shown? If so, what changes may have occurred during that period that contribute to these effects?
Are many of your patients going to the ED during the <u>daytime</u> for the CTAS 4/5 conditions? If so, are
there steps you can take to reduce this? Are patients having difficulty getting same-day appointments or do they need additional education regarding appropriate use of EDs?
appearance of de mey need additional education regarding appropriate etc of 250.
Are many of your patients' going to the ED during the <u>evenings or weekends</u> for the CTAS 4/5 conditions? If so, are there steps you can take to reduce this? Are patients having difficulty getting same-day appointments or do they need additional education regarding appropriate use of EDs?
conditions? If so, are there steps you can take to reduce this? Are patients having difficulty getting
conditions? If so, are there steps you can take to reduce this? Are patients having difficulty getting
conditions? If so, are there steps you can take to reduce this? Are patients having difficulty getting
conditions? If so, are there steps you can take to reduce this? Are patients having difficulty getting

any patient	your patients' going to the ED at <u>night</u> for the CTAS 4 and 5 conditions? If so, is there education you can provide to help them understand how to determine the urgency
	ney need care for their symptoms or alternative sources of care?
Investigate:	Determine some of the CTAS 4/5 conditions that are common among your patients. Consider if there are differences by age cohort or any other demographic factors.
Is there anyt	hing you could implement in your practice or among your patients to help prevent
these condit	ions or address them before patients resort to the ED?
Brainstorm:	
2. 4	Are there any services or resources you would like to have available in your community to help prevent less urgent ED visits?
	Are there any services or resources you would like to have available in your community to help prevent less urgent ED visits?
	·
	· · · · · · · · · · · · · · · · · · ·
	· · · · · · · · · · · · · · · · · · ·
	· · · · · · · · · · · · · · · · · · ·
	· · · · · · · · · · · · · · · · · · ·
	· · · · · · · · · · · · · · · · · · ·
	· · · · · · · · · · · · · · · · · · ·
	· · · · · · · · · · · · · · · · · · ·
	· · · · · · · · · · · · · · · · · · ·
	community to help prevent less urgent ED visits?
	Community to help prevent less urgent ED visits? How could you find out from your patients why they are going to the ED? What could
	Community to help prevent less urgent ED visits? How could you find out from your patients why they are going to the ED? What could
	Community to help prevent less urgent ED visits? How could you find out from your patients why they are going to the ED? What could
	Community to help prevent less urgent ED visits? How could you find out from your patients why they are going to the ED? What could
	Community to help prevent less urgent ED visits? How could you find out from your patients why they are going to the ED? What could
	Community to help prevent less urgent ED visits? How could you find out from your patients why they are going to the ED? What could
	Community to help prevent less urgent ED visits? How could you find out from your patients why they are going to the ED? What could
	How could you find out from your patients why they are going to the ED? What could you do to understand their perspective and rationale?
	Community to help prevent less urgent ED visits? How could you find out from your patients why they are going to the ED? What could

Are you surprised by the volume of your patients admitted to hospitals? Was it higher or lower than
you expected? Keeping in mind that hospital admissions can be correlated with panel
demographics, how does your panel's rate of admissions compare to your network average?
How do your patients' stay durations compare to your Health Network averages? Are there any
opportunities to optimize care of chronic diseases (e.g., CHF, COPD) so they do not have another
admission within 30-days?
Consider Your proximity to acute care facilities, the demographics of your patient population
Context: and availability of community services, among other factors, may impact your
patients' hospitalizations and stay durations.
Do you have some patients who are frequently admitted? If so, did you know about their frequent
admissions? If not, how can you improve your awareness of them? Are there additional resources
, , , ,
that could help decrease admission rates of these patients?
, , , ,
, , , ,
, , , ,
, , , ,
, , , ,
, , , ,
, , , ,
, , , ,
, , , ,
, , , ,
, , , ,
that could help decrease admission rates of these patients?
Investigate: Delve into your EMR to identify some of your patients with multiple hospital admissions.
Investigate: Delve into your EMR to identify some of your patients with multiple hospital admissions. Consider what you know about their circumstances and demographics. See if there are any common factors among them.
Investigate: Delve into your EMR to identify some of your patients with multiple hospital admissions. Consider what you know about their circumstances and demographics. See if there are any common factors among them. What could you implement in your practice/clinic to help prevent these admissions? Are there any
Investigate: Delve into your EMR to identify some of your patients with multiple hospital admissions. Consider what you know about their circumstances and demographics. See if there are any common factors among them.
Investigate: Delve into your EMR to identify some of your patients with multiple hospital admissions. Consider what you know about their circumstances and demographics. See if there are any common factors among them. What could you implement in your practice/clinic to help prevent these admissions? Are there any
Investigate: Delve into your EMR to identify some of your patients with multiple hospital admissions. Consider what you know about their circumstances and demographics. See if there are any common factors among them. What could you implement in your practice/clinic to help prevent these admissions? Are there any
Investigate: Delve into your EMR to identify some of your patients with multiple hospital admissions. Consider what you know about their circumstances and demographics. See if there are any common factors among them. What could you implement in your practice/clinic to help prevent these admissions? Are there any
Investigate: Delve into your EMR to identify some of your patients with multiple hospital admissions. Consider what you know about their circumstances and demographics. See if there are any common factors among them. What could you implement in your practice/clinic to help prevent these admissions? Are there any
Investigate: Delve into your EMR to identify some of your patients with multiple hospital admissions. Consider what you know about their circumstances and demographics. See if there are any common factors among them. What could you implement in your practice/clinic to help prevent these admissions? Are there any
Investigate: Delve into your EMR to identify some of your patients with multiple hospital admissions. Consider what you know about their circumstances and demographics. See if there are any common factors among them. What could you implement in your practice/clinic to help prevent these admissions? Are there any

	r patient admissions by age cohort and admission source (ED vs Other) differ from the erages? Why might these differences exist?
Brainstorm:	Is there anything that could help your patients transition out of the hospital that may help avoid re-admission? Are there any supports you wish were available?
	How can you find out what your patients, and/or their caregivers, want and need to
	feel supported before, during, or after admission? Are there any system-level
	improvements that can be made to help find out what patients/caregivers want or need?
	Do you have a system in place to ensure timely follow-up with patients after discharge
	from hospital? Do you have a goal time for follow-up? Do you have everything you need to meet that goal?
	Are you satisfied with the information you receive post-discharge discharge? Is there anything you can do to improve communication? Is there anything the hospitals can
	do to improve communication?
On a scale of	of 1 (least) to 10 (most), how interested are you about these results?
1	2 3 4 5 6 7 8 9 10

4.4 Why were my patients admitted to hospitals last year and how long were they there? Are the conditions underlying your patients' hospitalizations consistent with your panel demographics? How do your results compare to that of your network? Some conditions may have more admissions than patients; these are typically due to patients having multiple admissions. Are these results expected? Are there some conditions that don't typically have multiple admissions? Why might this be occurring? What supports could you provide these patients to prevent readmissions? For which conditions do your patients' have the longest length of stays? Do these align with your expectations? How do your panel's results compare to your Health Network results?

Investigate: Delve into your EMR to further understand the types of patients and conditions underlying your most common reasons for admission and longest stays.
Are you satisfied with the information you receive following their discharge? Is there anything you can do to improve communication? Is there anything the hospitals can do to improve communication?
What system-level changes could be made to improve communication post-discharge?
Is there anything you could implement in your practice or among your patients to help prevent these conditions from requiring hospitalization? If so, what and how?
Transition from hospital back to the community can be eased with access to a family physician. Within your practice, are there mechanisms that patients recently discharged from hospital can get timely
visits?
On a scale of 1 (least) to 10 (most), how interested are you about these results?
1 2 3 4 5 6 7 8 9 10

4.5 How does continuity of care relate to hospitalizations for conditions that are best cared for in primary care?

For the following questions, ACSCs refer to Ambulatory Care Sensitive Conditions.

Do you see a relationship between your patients' level of connectedness and the number of ACSC hospitalizations and/or length of stay?
Do you see any opportunity for improvement among these relationships/results? Are these a population of patients that you could work with to improve connectedness? What actions do you think would increase patient connectedness?
·
Which of the ACSC conditions do you think are driving these admissions? Are there some that are
Which of the ACSC conditions do you think are driving these admissions? Are there some that are more prevalent among your patients?
more prevalent among your patients? Investigate Delve into your EMR. Are you able to check your assumptions regarding the ACSC
more prevalent among your patients? Investigate Delve into your EMR. Are you able to check your assumptions regarding the ACSC
more prevalent among your patients? Investigate Delve into your EMR. Are you able to check your assumptions regarding the ACSC
more prevalent among your patients? Investigate Delve into your EMR. Are you able to check your assumptions regarding the ACSC
more prevalent among your patients? Investigate Delve into your EMR. Are you able to check your assumptions regarding the ACSC

How do your panel's results differ from those of other panels in your network? Are there any result
you find concerning? Reassuring?
What patient interventions could be done to support patients with each of the ACSCs to avoid
hospitalization?
Brainstorm: What supports could help your patients avoid hospitalization?
That sopports decid from your patients divide from the sopports.
What stops can you take to improve your patients! lovel of compacted assessed
What steps can you take to improve your patients' level of connectedness and
What steps can you take to improve your patients' level of connectedness and strengthen their relationship with primary care?
strengthen their relationship with primary care?
Strengthen their relationship with primary care? On a scale of 1 (least) to 10 (most), how interested are you about these results?
Strengthen their relationship with primary care? On a scale of 1 (least) to 10 (most), how interested are you about these results?
strengthen their relationship with primary care?

5.1 Prescribing for Senior Citizens (65+): High Risk Medications (Beers Criteria) Are you familiar with the most recent list of Beers Potentially Inappropriate Medications? Which of these are most likely to be relevant to patients on your panel? Are you aware of the proportions of patients on these drugs? What resources do you use for Beers Criteria? Are you surprised by the proportion of your patients' aged 65+ filing prescriptions for multiple Beers PIM drugs in the past year? Are you concerned about the rate? How many patients are getting Beers' drugs from other sources? How do your results compare to your Health Network results? Are you surprised or concerned by the proportion of your patients' aged 65+ chronically filling multiple prescriptions for Beers drugs? How do your results compare to your Health Network results? Investigate: Investigate your patients receiving one or more Beers drugs, their conditions, dosage, and the duration of time they have been receiving these drugs. Are there any conditions for which you have prescribed Beers drugs that could be managed with alternative medications/interventions?

What are your concerns related to the most common Beers drugs used by your patients? Are any of them drugs you know you prescribed? Are you aware of the concerns related to these drugs?
How does the proportion of your patients on each of these five drugs compare to the rates for other patients on panels in your network? Are there any for which your rates are substantially higher? Do you know of a reason for this? What actions might be taken to reduce these rates?
Are there any patients that could be prescribed a lower dose or weaned off these drugs completely? If so, how can you approach this with them?
, , , , , , , , , , , , , , , , , , ,
Are your patients' receiving prescriptions for these drugs from another provider? If so, what steps can you take to discuss this with your patients and/or colleagues? If not, is there additional research you can do to learn more about the concerns surrounding these drugs?
On a scale of 1 (least) to 10 (most), how interested are you about these results?
1 2 3 4 5 6 7 8 9 10

5.2 Prescribing for Senior Citizens (65+): Antipsychotic Medications What are the most common diagnoses for which your patients' aged 65+ are prescribed antipsychotics? What are some alternative medications/interventions? Do you see any trends in the proportion over the past 3 years? What factors may underlie your results? Do you expect this trend to continue? Should it continue? Investigate: Investigate your patients receiving antipsychotics, their conditions, dosage, and the duration of time they have been receiving these drugs. Are there any other conditions for which you have prescribed antipsychotics that could be managed with alternative medications/interventions? Are there any patients that could be prescribed a lower dose or weaned off these drugs completely? If so, how can you approach this with them?

others? Why	rised by how many patients are receiving antipsychotic prescriptions from you and do you think you are surprised? What can you do to stay abreast of your patients'
prescriptions	Ç.
Brainstorm:	What are your personal criteria for prescribing antipsychotics? Do these align with the Choosing Wisely guidelines? Should you revisit your criteria? If so, what changes should you focus on making?
	Do you feel confident in your level of knowledge of the risks, benefits, and appropriate dosing of antipsychotics? If not, what can you do to advance your knowledge?
the past yea	rised by the proportion of your patients filing multiple antipsychotics prescriptions within Ir? Why might your results differ from those of your Health Network? Do you feel your e reasonable/expected?
On a scale of	of 1 (least) to 10 (most), how interested are you about these results?
	2 3 4 5 6 7 8 9 10

5.3 Prescribing of Opioid Medications Were you previously aware of opioid prescribing guidelines published by the College of Family Physicians? How closely do you think you adhere to them? Do you see any trends in the proportion over the past 3 years? What factors may underlie your results? Do you expect the trend will continue? Should it continue? Are you surprised by the proportion of your patients receiving opioid medication prescriptions from you? From others? If so, what can you do to stay abreast of your patients' prescriptions? Are you surprised by the proportion of your patients filling multiple opioid prescriptions within the past year? Are you satisfied with how your results compare to your Network's?

Investigate:	Query your EMR to find your patients receiving opioids, their conditions, dosage, and the duration of time they have been receiving these drugs. In particular, seek to
	understand the conditions among those who have been on opioids long-term.
	ny conditions that could be managed with alternative medications/interventions? If so,
can you lae	ntify patients whose opioid prescriptions could be revisited?
Are there are	
	ny patients that could be prescribed a lower dose or weaned off these drugs? If so, how can you approach this with them?
Completely:	This e, new early of approach this will morn.
Are you awa	are of the criteria for diagnosing opioid use disorder? Do you think this condition may be
•	osed in your panel?
Duningtown	M/la est euro vocum a proposal pritarios for revocarilaire et principle? De tla consuliera veitla tla c
Brainstorm:	What are your personal criteria for prescribing opioids? Do these align with the guidelines? Should you revisit your criteria? If so, what changes should you focus on
	making? Is there any additional information you should obtain regarding opioids?
	, , , , , , , , , , , , , , , , , , , ,
1	
On a scale o	of 1 (least) to 10 (most), how interested are you about these results?
On a scale o	of 1 (least) to 10 (most), how interested are you about these results?

Are you surprised by the proportion of your patients receiving benzodiazepine prescriptions from you? From others? If so, what can you do to stay abreast of your patients' prescriptions and
prescribers?
Do your patients understand the risks associated with benzodiazepines? What education do you offer patients about benzodiazepines?
Do you see any trends in the proportion over the past 3 years? What factors may underlie your results? Do you expect the trend will continue? Should it continue?
resons? Do you expect the neria will corninder should it corninder
resons? Do you expect the nerta will continue? Should it continue?
resons? Do you expect the field will continue? Should it continue?
resons? Bo you expect the field will continue? Should it continue?
resons? Bo you expect the field will continue? Should it continue?
resons? Bo you expect the field will continue? Should it continue?
Are you surprised by the proportion of your patients filling multiple benzodiazepine prescriptions
Are you surprised by the proportion of your patients filling multiple benzodiazepine prescriptions
Are you surprised by the proportion of your patients filling multiple benzodiazepine prescriptions
Are you surprised by the proportion of your patients filling multiple benzodiazepine prescriptions
Are you surprised by the proportion of your patients filling multiple benzodiazepine prescriptions
Are you surprised by the proportion of your patients filling multiple benzodiazepine prescriptions
Are you surprised by the proportion of your patients filling multiple benzodiazepine prescriptions

Investigate:	Query your EMR to find your patients receiving benzodiazepines, their conditions,
	dosages and the duration of time they have been receiving them. Particularly seek to understand the conditions among those who have been on benzos long-term.
	y conditions that could be managed with alternative medications/interventions? If so,
can you ider	ntify patients whose benzodiazepines prescriptions could be revisited?
A 11	
	y patients that could be prescribed a lower dose or weaned off these drugs? If so, how can you approach this with them?
	, , , , , , , , , , , , , , , , , , ,
•	are of any of your patients who may have benzodiazepine use disorder or side effects? If
	os can you take or supports that could be provided to help them? Are you aware of ols? (i.e., https://ccsmh.ca/substance-use-addiction/benzo/)
30.001	O.C. (II.G.), INTERINGUE CONTROL CONTR
Brainstorm:	What are your personal criteria for prescribing benzodiazepines? Do these align with
2. 4	the guidelines? Should you revisit your criteria? If so, what changes should you focus
	on making? Are there any professional development opportunities you should take
	regarding benzos?
On a scale c	of 1 (least) to 10 (most), how interested are you about these results?
W	2 3 4 5 6 7 8 9 10

Your Summary

Each page in this guide is represented below. What did you determine your level of concern was for each of the topics? Enter the value you selected in the right-hand column.

Recall:

- 1 = low level of interest
- 10 = high level of interest

i	Level of nterest (1 - 10)
How are patients assigned to my panel?	1 - 10)
Who are the patients on my panel and how often do I see them?	
How frequently am I seeing my panel patients & who am I seeing?	
What is my panel's continuity?	
What are my panel's most common medical conditions?	
How well are my patients with diabetes managed?	
How well are my patients with coronary artery disease (CAD) managed?	
How often did my panel patients visit an emergency department (ED)?	
How often did my patients visit an ED for minor conditions?	
How frequently were patients on my panel admitted to hospitals?	
Why and for how long were my patients admitted to hospitals last year?	
How does continuity of care relate to hospitalizations for conditions that are best cared for in primary care?	
What percentage of my senior patients (65+) are on one or more medications listed in Beers criteria?	
What percentage of my senior patients (age 65+) filled prescriptions for antipsychotic medications?	
What percentage of my patients filled prescriptions for opioids?	
What percentage of my patients filled prescriptions for benzodiazepines?	
Which topics did you indicate were of highest concern? Among these, which will you work to improve first? What steps can you take to address the issues you identified?)

Appendix

1. EMR Resources

General EMR Panel Management Training, Tools and Resources

Saskatchewan Medical Association EMR Program:

https://www.emr.sma.sk.ca/

Panel Management: Steps to Pull a List of Patients:

https://www.mcmasterforum.org/docs/default-source/rise-docs/partner-

resources/hcsl_panelmanagementtool.pdf?sfvrsn=88f557d5_2

Accelerating Change Transformation Team (Alberta) – Guiding Principles: effective use of EMR for PMH work:

https://actt.albertadoctors.org/file/guiding-principles--effective-use-of-emr-for-pmh-work.pdf

Short how-to videos from Alberta:

https://actt.albertadoctors.org/EMR/Pages/default.aspx

Using Health Information Technology to Support Quality Improvement in Primary Care:

https://pcmh.ahrq.gov/sites/default/files/attachments/Using%20Health%20IT%20Technology%20to%20Support%20Ql.pdf

MedAccess

Med-Access EMR Guide for Patient's Medical Home:

https://actt.albertadoctors.org/file/med-access-emr-guide-for-pmh.pdf

Introduction to Reporting in MedAccess:

https://divisionsbc.ca/sites/default/files/inline-

files/Med%20Access%20Introduction%20Instructions%20v5.pdf

Data Quality for Panel Management in Med Access:

https://www.youtube.com/watch?v=flrgZmbbvdA

Pap reporting:

https://www.youtube.com/watch?v=nNK7ckqCE7g

Preventative Screening – CV Risk Score Capture in Med Access:

https://www.youtube.com/watch?v=k-4OUpAARik

Creating Lab Order Sets in MedAccess:

https://divisionsbc.ca/sites/default/files/inline-

files/CmxValleyMedAccessUserGroup.LabOrderSets.Aug19.pdf

Using Clinical Decision Support (CDS) Triggers in MedAccess:

https://divisionsbc.ca/sites/default/files/inline-

files/CmxValleyMedAccessUserGroup.CDSTriggers.Aug19.pdf

Accuro

Tips for Panel Identification, Screening and Preventive Care in Accuro:

https://www.youtube.com/watch?v=ax5lO_zT844

Accuro Active Patient Panel:

https://www.youtube.com/watch?v=eaplk7T1vys

Searchable Data in Accuro:

https://www.youtube.com/watch?v=Q6RrSze_jlw

CII-CPAR Accuro EMR Mapping:

https://www.youtube.com/watch?v=JS9Hf9VtZSE

2. Resources for High-Risk Prescribing (Beers Criteria)

Potentially risky drugs and their safer alternatives: Beers drugs commonly used in SK and recommended substitutes:

https://www.cps.sk.ca/imis/Documents/Programs%20and%20Services/Prescription%20Review%20Program/Resources/BEERS%20Drug%20List%20-%20Health%20Quality%20Council.pdf

3. Resources for Prescribing Antipsychotics

Deprescribing antipsychotics for behavioral and psychological symptoms of dementia and insomnia. Evidence-based clinical practice guideline:

https://www.cfp.ca/content/64/1/17

4. Resources for Prescribing Opioids

Managing Opioid Use Disorder in Primary Care PEER Simplified Guideline: https://www.cfp.ca/content/65/5/321

Tapering Opioids How to Explore and Pursue the Option for Patients Who Stand to Benefit: https://www.rxfiles.ca/rxfiles/uploads/documents/Opioid-Tapering-Newsletter-Compilation.pdf

Additional Chronic Pain and Opioid Resources from College of Family Physicians of Canada: https://portal.cfpc.ca/ResourcesDocs/UploadedFiles/CPD/List_of_Pain_Opioid_Initiatives_May_2_2017_final.pdf

5. Resources for Prescribing Benzodiazepines

Canadian Coalition for Seniors' Mental Health Benzodiazepine Guidelines and Screening Tools: https://ccsmh.ca/substance-use-addiction/benzo/